State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-239

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Mitsubishi Motors diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems and Special Features
YMTXH07.5D6A	7.5	(460)	Turbocharger Charge Air Cooler Engine Control Module Oxidation Catalytic converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	
0.4	2.0	3.8	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this ______ day of December 1999.

R. B. Summerfield, Chief Ambile Source Operations Division

ē

LARGE ENGINE MODEL SUMMARY

60: A-86-239

Process Code: New Submission

Manufacturer: Mitsubishi Motors Corporation

8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930 EM,EC,CAT EM,EC,CAT 45.9 53.3 7.Fuel Rate: mm/stroke@peak torque 86 100 6.Torque @ RPM (SEA Gross) 434 @ 1600 521 @ 1600 Manufacturer Family Name: 4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesel only) (for diesels only) 83.2 91.9 96 106 3.BHP@RPM (SAE Gross) 200 @ 2600 230 @ 2600 EPA Engine Family: YMTXH07.5D6A 2.Engine Model 6D16-3AT3 6D16-3AT2 1.Engine Code 6D163A0T2-US0 6D163AT3-US0

TS.CAC, ECM, OC